



**Ellison**  
*Collection*

**B a y & B o w**

V i n y l R e p l a c e m e n t W i n d o w s



#### 4-Lite Bow

Casements flanking picture windows with Florentine beveled glass.

# Bay & Bow Windows

From the inside and outside, Bay and Bow window units enhance the appearance of any room. These windows can be made using double hung or casement flankers and picture window or fixed lite casement center units.

Bay windows are configured with three separate windows. The center window is twice as wide as each flanker, and units are available with 30° or 45° angles. Bow windows are constructed with 15° angles. They are available in three, four or five equal lite configurations.

Bay and Bow windows create opportunities to complement any home's decor. From hanging plants to window seats, these three dimensional



#### 3-Lite Bow

Almond, oriel style double hung flankers with single prairie, 1" contoured grid.

additions allow for many options. Each window\* is offered in a choice of two oak interior wood finishes. Decorative beveled glass designs, brass accents and grids between the panes further distinguish the unit as a custom creation. There are literally hundreds of options with configurations and decorative enhancements for any home's specific needs or style.

*\*Please check series for applicable options.*

**Manufacturer reserves the right to substitute components as necessary.**



### 3-Lite Bay

All-fixed Lite Bay configuration with leaded glass units flanking a picture window with Double Prairie beveled glass.



### 3-Lite Bay

Natural Light Oak wood finish on a picture window and flanking double hung windows with matching 1" contoured grid.




### 3-Lite Bay

Dark Hillside Oak wood finish and flanking double hung windows with brass grid.

*Note: Roof systems shown are for photography only; not included with the window units.*

# Available Bay & Bow Window Sizes

## I. Casement Window Widths



### Casement Window Widths

For casement windows with widths falling in the shaded areas, heights cannot exceed 65 inches.

## Casement Window Heights

Minimum Height: 24"

Maximum Height: 74"

## II. All-Welded Window Widths

Exact Minimum Widths

56<sup>3</sup>/<sub>8</sub>" – 3-Lite Bow      72<sup>3</sup>/<sub>8</sub>" – 30° Bay

73<sup>3</sup>/<sub>8</sub>" – 4-Lite Bow      68<sup>3</sup>/<sub>8</sub>" – 45° Bay

89<sup>3</sup>/<sub>8</sub>" – 5-Lite Bow

(For exact maximum widths, use chart above.)

## All-Welded Window Heights

Minimum Height: 24"

Maximum Height: 74"

**Note:** Bays and Bows come standard with cable system for installation and may be ordered with optional oak head and seat board. Please see dealer for details.

**Configuration** Unit Possibilities (Screen standard on operating units):

1. *Double Hung Units: Top and bottom sashes operate for optimum ventilation and tilt-in for easy cleaning.*
2. *Operating Casements: Sashes crank out.*
3. *Fixed Lite and Picture Windows: Sashes do not open.*



Ellison Windows and Doors is proud to promote energy-efficient products in conjunction with the Energy Star for Windows program.