



# SERIES 130 SINGLE HUNG



- Bottom sash tilts in for easy cleaning from inside.
- Aluminum half screen comes standard\*.
- Block & tackle balance system for easy sash movement.
- Warm-Edge spacer system provides energy saving thermal performance.
- DP 50 rating (window size tested 53" x 77")
- Aluminum reinforcement standard in lock & meeting rails and sash stiles.
- Jamb depth: 3".
- Dual Sweep locks (standard at 27-1/4" and above) help provide a weather-tight seal and added security.
- Dual weather-stripping helps block air and water infiltration, keeping harsh elements outside and energy-saving comfort inside.
- Step sill design combines water run-off and aesthetic features of a sloped sill with the structural strength and internal drainage system of a pocket sill.
- **Available in single hung, picture window and architectural shapes.**
- **Limited Lifetime Warranty.**



**Step Bevel Design** creates a beautiful exterior appearance

**COLOR Options**



**Select from Four Frame Types:**

- **Front Flange Only**
- **Nail Fin Only**  
(no J-Channel)
- **J-Channel**  
(nail fin & front flange)
- **Box Frame**  
(no nail fin & no front flange)



Front Flange Only



Nail Fin Only  
(no J-Channel)



J-Channel  
(nail fin & front flange)



Box Frame  
(no nail fin & no front flange)



# SERIES 130 SINGLE HUNG

## Options

CUSTOM

### • Energy Efficient Glass Options:

#### Low-E Glass

Low-E glass is coated with a microscopic layer of silver that reflects radiant solar energy while permitting visible light to pass through the glass, providing more comfort and lower energy costs.

#### Low-E Glass + Argon Gas


Argon gas works like an insulating blanket between two panes of glass to further improve thermal efficiency and decrease outside sound levels.

#### Ultra Low-E Glass + Argon Gas


Choose our ultimate glass package for optimal energy efficiency and maximum cost savings. Ultra Low-E glass offers three invisible layers of silver coating in addition to the superior thermal performance of argon gas. (May be required for Energy Star rating.)

- Non-reflective Low-E Glass and Non-reflective Low-E Glass with Argon Gas
- Double strength and obscure glass
- Oriel style
- Sash Limiter
- Factory mulling and Factory Prepared mulling
- Commodity sizing available
- Custom sizes available

### Grid styles




### Grid patterns



### Screen options

- Fiberglass half screen (standard)
- Charcoal Aluminum half screen (optional)



All Ellison Windows and Doors may be ordered to meet Energy Star requirements.

Note: Manufacturer reserves the right to substitute components as necessary for continued product improvement.

\* Screens are not meant to restrain a child from falling through an open window.

Energy Star is a registered trademark of the U.S. Department of Energy.

SCAN AND EXPERIENCE OUR WEBSITE

